(*d*) Rs. 1,62,822.

(*e*) Nil.

(*f*) About Rs. 75,000.

ಶ್ರೀ ಎಂ. ಲಿಂಗೇಗೌಡ.—ಕನಕಪುರ ಟೌನಿನಲ್ಲಿ ಚರಂಡಿ ವ್ಯವಸ್ಥೆಗಾಗಿ ರೂ. 1,74,190 ಎಸ್ಟಿಮೇಟ್ ಸ್ಯಾಂಕ್ಷನ್ ಆಗಿದೆಯೆಂದು ತಾವು ಹೇಳಿದ್ದೀರಿ. ಅದರ ಪೈಕಿ ಖರ್ಚಾಗಿ ಉಳಿದಿರುವ ಮೊಬಲಗೆಷ್ಟು ?

†ಶ್ರೀ ಟಿ. ಸುಬ್ರಹ್ಮಣ್ಯ.—ರೂ. ಎರಡು ಸಾವಿರ ಚಿಲ್ಲರೆ.

ಶ್ರೀ ಎಂ. ಲಿಂಗೇಗೌಡ.—ಇನ್ನೂ 75,000 ರೂಪಾಯಿ ಬೇಕಾಗುತ್ತದೆಂದು ತಾವು ಜವಾಬು ಕೊಟ್ಟಿದ್ದೀರಿ. ಅದು ಸಂಪೂರ್ಣವಾಗುವುದು ಯಾವಾಗ ?

ಶ್ರೀ ಟಿ. ಸುಬ್ರಹ್ಮಣ್ಯ.—ಮುನಿಸಿಪಾಲಿಟಿಯವರು ನಮಗೆ ದುಡ್ಡು ಒದಗಿಸಿಕೊಟ್ಟಾಗ, ಈ ರೀತಿ ಒದಗಿಸಬೇಕೆಂದು ನಮಗೆ ಪ್ರಪೋಸಲ್ ಬಂದಾಗ. ಈ ಪಾಯಿಂಟನ್ನು ಸ್ವಲ್ಪ ಕ್ಲಿಯರ್ ಮಾಡುತ್ತೇನೆ. Original estimate ಇದ್ದದ್ದು 2-3 ದಫ ರಿವೈಜ್ ಆಗಿದೆ. ಒಟ್ಟು 1,71,000 ರೂ. ಖರ್ಚು ಮಾಡಿದ್ದಾರೆ. ಈಚೆಗೆ ಇನ್ನೂ ಕೆಲವು ಬಾಕಿಗೆ ಕೊಡಬೇಕೆಂದು ಹೇಳುತ್ತಿದ್ದಾರೆ. ಅದನ್ನು ಎಸ್ಟಿಮೇಟ್ ಮಾಡಿದರೆ ರೂ. 75,000 ಆಗುತ್ತದೆ. ರೂ. 75,000 ಸಾಲ ತೆಗೆದುಕೊಳ್ಳುತ್ತೇವೆಂದು ಹೇಳಿ proposal ಬಂದ ಮೇಲೆ, ಅದನ್ನು ಗವರ್ನ್‌ಮೆಂಟ್ ಸ್ಯಾಂಕ್ಷನ್ ಮಾಡುತ್ತಾರೆ! ಅವರಿಂದ ಇನ್ನೂ proposal ಬಂದಿಲ್ಲ. 31-1-61ರಲ್ಲಿ ಚೀಫ್ ಮಿನಿಸ್ಟರಿಗೆ ಮೆಮೊರಾಂಡಮ್ ಕೊಟ್ಟಿದ್ದರಲ್ಲಿ ಹೇಳಿದ್ದಾರೆ. "The proposals in this behalf will be sent through proper channel." This is the application given by them on 31st January 1961. Therefore, we have not yet received.

CONSTRUCTION OF A BRIDGE ACROSS ARKAVATHI RIVER IN KANAKAPURA TALUK.

**Q.*—56. Sri M. LINGE GOWDA (Kanakapura).—

Will the Government be pleased to state:—

(*a*) whether it is not a fact that the Minister for P.W.D. ordered the construction of a bridge across Arkavathi River near Mullahalli on 4th September 1959 during his tour in Kanakapura Taluk ;

(*b*) whether an estimate has been prepared for the bridge ;

(*c*) the amount of the estimate :

(*d*) the time required for the completion of the bridge ?

A.—Sri H. M. CHANNABASAPPA (Minister for Public Works and Electricity).—

(*a*) Yes on (4th November 1959).

(*b*) Estimate is being prepared.

(*c*) Approximately Rs. 6 lakhs.

(*d*) About a year from the date of commencement, after the estimate is duly approved.

ಶ್ರೀ ಎಂ. ಲಿಂಗೇಗೌಡ.—ಒಂದು ವರ್ಷ ಆದರೂ ಕೂಡ, ಮಿನಿಸ್ಟರು ಹಾಜರಿದ್ದೂ, ಮುಳ್ಳಹಳ್ಳಿ ಹತ್ತಿರ ಅರ್ಕಾವತಿ ನದಿಗೆ ಸೇತುವೆ ಅಗತ್ಯವಿದೆ ಎಂದು ಕಣ್ಣಾರೆ ಕಂಡು ಹೇಳಿದರೂ ಕೂಡ, ಇನ್ನೂ ಅಂದಾಜು ತಯಾರಾಗದೆ ಇರುವುದಕ್ಕೆ ಕಾರಣವೇನು ?

ಶ್ರೀ ಎಚ್. ಎಂ. ಚನ್ನಬಸಪ್ಪ.—ಇದನ್ನು ಇಲ್ಲಿಯೇ ಮಾಡಬೇಕೆಂಬ ಇಚ್ಛೆ ನಮಗೆ ಇದ್ದರೂ, ಅಲ್ಲಿ ಸರಿಯಾದ foundation ಸಿಗಲಿಕ್ಕಿಲ್ಲವೆಂಬ ಕಾರಣದಿಂದ ಬೇರೆ ಕಡೆ alternative ಆಗಿ ಯೋಚನೆ ಮಾಡುತ್ತಿದ್ದೇವೆ. ಇನ್ನೊಂದು alternative ಬಂದಿದ್ದೇನೆಂದರೆ ಅರಗದ ಹತ್ತಿರ ಬ್ರಿಡ್ಜ್ ಕಟ್ಟಬೇಕೆಂದು ಇದನ್ನು ಮುಳ್ಳಹಳ್ಳಿಯಿಂದ ಸ್ವಲ್ಪ ಡೀವಿಯೇಟ್ ಮಾಡಿ, ಸಾತನೂರು-ಕೋಡಿಹಳ್ಳಿ-ಅರಪೇರಿ ರಿಸರ್ವಾಯರ್ ಏರಿ ಮೇಲೆ ತೆಗೆದುಕೊಂಡರೆ ಸೇತುವೆ ಅನಾವಶ್ಯವಾಗುತ್ತದೆ. ಕೋಡಿಹಳ್ಳಿ ಹತ್ತಿರ ಸಣ್ಣ ಸೇತುವೆ ಕೆಟ್ಟೋಣವೆಂದು alternative examine ಮಾಡುತ್ತಿದ್ದೇವೆ.

ಶ್ರೀ ಎಂ. ಲಿಂಗೇಗೌಡ.—Alternative scheme ಗೆ ಅಂದಾಜು ಮಾಡಿಲ್ಲವೇ ?

Sri H. M. CHANNABASAPPA.—Because we nave to take decision whether this will be final thing or whether that will be the final thing and if that is going to be the final thing, then plans and estimates will be prepared.

CONSTRUCTION OF SLUICE FOR DODDAKERE TANK IN SEEGEKOTE VILLAGE OF KANAKAPURA TALUK.

*Q.—57. Sri M. LINGE GOWDA (Kanakapura).—

Will the Government be pleased to state.—

(*a*) whether it is not a fact that the Minister for P.W.D. ordered on 4th September 1959, during his tour in Kanakapura Taluk, that a sluice may be constructed above three feet water level for Doddakere Tank situated in the outskirts of Seegekote village, Kasaba Hobli, Kanakapura Taluk, solely for irrigating paddy crop ;

(*b*) whether it is not a fact that the Assistant Engineers, Executive Engineers and two Superintending Engineers have opined that a sluice may be installed above the three feet water level after conducting a spot inspection ;

(*c*) whether they are aware that the connected records are not traceable in spite of the issue of two reminders from Government ;

(*d*) whether they would take action to instal a sluice in the tank at least during the current year.

A.—Sri H. M. CHANNABASAPPA (Minister for Public Works and Electricity).—

(*a*) No.

(*b*) The Deputy Commissioner, Bangalore District, and the Executive Engineer, Bangalore Division, have jointly inspected the tank. The opinion of the Executive Engineer was that the capacity of the tank could be improved by raising the weir and that a sluice could be provided.